Mn-Nb-Ni ..... *Ternary Ni2* 58
Mn-N-Si ..... *Ternary BNSiN* 166-168
Mn-Ni-Ta *PDNTA2* 59
Mn-Ni-Ti ..... *PDTNA* 60-66, *JAPD 6*(3) 176-178
Mn-Ni-V ..... *Ternary Ni2* 67-76, *JAPD 6*(2) 96-102
Mn-Ni-W ..... *Ternary Ni2* 77
Mn-Ti-V ..... *JPE 13*(4) 417-420
Mo-N-Si ..... *Ternary BNSiN* 169-171
Mo-Nb-Ni ..... *Ternary Ni2* 83-92, *JAPD 6*(3) 158-163
Mo-Ni-Ta ..... *Ternary Ni2* 92-107, *JAPD 6*(2) 86-95
Mo-Ni-Ti ..... *Ternary Ni2* 108-123
Mo-Ni-V ..... *Ternary Ni2* 124-133, *JAPD 6*(2) 80-85
Mo-Ni-W ..... *Ternary Ni2* 134-147
Mo-Ti-V ..... *JPE 13*(4) 420-424
N-Nb-Si ..... *Ternary BNSiN* 172-174
N-Ni-Si ..... *Ternary BNSiN* 175-177
N-Pb-Si ..... *Ternary BNSiN* 178-179
N-Re-Si ..... *Ternary BNSiN* 180-182
N-Rh-Si ..... *Ternary BNSiN* 183-184
N-Ru-Si ..... *Ternary BNSiN* 185-186
N-Sb-Si ..... *Ternary BNSiN* 187-188
N-Sc-Si ..... *Ternary BNSiN* 189-190
N-Si-Sm ..... *Ternary BNSiN* 191
N-Si-Sn ..... *Ternary BNSiN* 192-193
N-Si-Sr ..... *Ternary BNSiN* 194
N-Si-Ta ..... *Ternary BNSiN* 195-197
N-Si-Ti ..... *Ternary BNSiN* 198-202
N-Si-Tl ..... *Ternary BNSiN* 203-204
N-Si-V ..... *Ternary BNSiN* 205-207
N-Si-W ..... *Ternary BNSiN* 208-210
N-Si-Y ..... *Ternary BNSiN* 211-212
N-Si-Zn ..... *Ternary BNSiN* 213-214
N-Si-Zr ..... *Ternary BNSiN* 215-218
N-Zn-Zr ..... *JAPD 6*(1) 28-30
Nb-Ni-Ta ..... *Ternary Ni2* 152-162, *JAPD 6*(2) 123-128
Nb-Ni-Ti ..... *Ternary Ni2* 163-176
Nb-Ni-V ..... *Ternary Ni2* 177-184, *JAPD 6*(1) 54-58
Nb-Ni-W ..... *JPE 13*(1) 87-91, *Ternary Ni2* 185-198
Nb-O-Zr ..... *JAPD 2*(2) 141-148
Nb-Ti-V ..... *JPE 12*(3) 359-362
Ni-Ta-Ti ..... *Ternary Ni2* 203-207
Ni-Ta-V ..... *Ternary Ni2* 208-213
Ni-Ta-W ..... *Ternary Ni2* 214
Ni-Ti-V ..... *Ternary Ni2* 219-229
Ni-Ti-W ..... *Ternary Ni2* 230-235
Ni-V-W ..... *Ternary Ni2* 241
Ni-Zn-Zr ..... *JAPD 5*(1) 60
Pb-Sb-Sn ..... *BAPD 6*(4) 372-379
Si-Ti-V ..... *JPE 13*(2) 201-205
Sn-Ti-V ..... *JPE 12*(3) 363-371
Ta-Ti-V ..... *JPE 13*(1) 91-94
Ti-V-Zr ..... *JPE 13*(2) 206-210
Ti-V-W* ..... *JPE 14*(2) 214-218

Author Index

For Vol. 16, No. 1, 2, 3, 4, 5, 6

Agren, J.
see Liu, Z.-K.: Thermodynamics of Constrained and Unconstrained Equilibrium Systems and Their Phase Rules
Anderson, I.
see Uhrenius, B.: Phase Equilibria and Phase Diagrams in Carbide Systems
Ansara, I.
see Braga, M.H.: Thermodynamic Assessment of the Li-Si System
see Joubert, J.-M.: The Zr-Ni-Cr System at 1000 °C *in the $ZrCr_2$-ZrNi-Ni-Cr Region*
Bale, C.W.
see Bouchard, D.: Thermochemical Properties of Iron-Rich Liquid Solutions Containing Oxygen and Aluminum
Baldwin, N.R.
Iron Silicide Formation in Bulk Iron-Silicon Diffusion Couples ..... *16*(4) 300-307 ar
Bharadwaj, S.R.
Ir-Pt ..... *16*(5) 460-464 ev
see Tripathi, S.N.: Hf-Pd
see Tripathi, S.N.: Nb-Pt
Bodak, O.
see Sologub, O.: An Initial Determination of Ce-Mn-Sb Phase Equilibria
Bouchard, D.
Thermochemical Properties of Iron-Rich Liquid Solutions Containing Oxygen and Aluminum ..... *16*(1) 16-24 ar
Braga, M.H.
Thermodynamic Assessment of the Li-Si System ..... *16*(4) 324-330 ar
Chandra, D.
see Garner, M.L.: Low-Temperature Vapor Pressures of W-, Cr-, and Co-Carbonyls
Chandrasekharaiah, M.S.
see Bharadwaj, S.R.: Ir-Pt
Chang, Y.A.
see Swenson, D.: Phase Equilibria in the Ga-In-Ni System at 600 °C
see Sharma, R.C.: Hg-Te
Chiba, A.
Bonding Characteristics and Diffusion Barrier Effect of the TiC Phase Formed at the Bonding Interface in an Explosively Welded Titanium/High-Carbon Steel Clad ..... *16*(5) 411-415 ar
Coelho, G.C.
Experimental Study of the Iron-Tantalum Equilibrium Diagram ..... *16*(2) 121-128 ar
Coles, B.R.
The Equiatomic Region of the Mn-Ni System ..... *16*(2) 108-109 co
Costa Neto, J.G.
see Coelho, G.C.: Experimental Study of the Iron-Tantalum Equilibrium Diagram
Dai, S.
Modeling of Binary Molten-Salt Phase Diagrams via Neural Networks ..... *16*(6) 493-500 ar
Dal Corso, S.
The Pb-Sn-Se System: Phase Equilibria and Reactions in the PbSe-SnSe-Se Subternary ..... *16*(4) 308-314 ar
Dharwadkar, S.R.
see Tripathi, S.N.: Nb-Pt
Duschanek, H.
Al-B ..... *16*(1) 6 ad
A Critical Assessment and Thermodynamic Calculation of the Boron-Carbon-Titanium (B-C-Ti) Ternary System ..... *16*(1) 46-60 ar
Critical Assessment and Thermodynamic Calculation of Binary System Boron-Tungsten (B-W) ..... *16*(2) 150-161 ar
Forsen, K.
see Uhrenius, B.: Phase Equilibria and Phase Diagrams in Carbide Systems
Fries, S.G.
see Risold, D.: The Bismuth-Oxygen System
Gama, S.
see Coelho, G.C.: Experimental Study of the Iron-Tantalum Equilibrium Diagram
Garner, M.L.
Low-Temperature Vapor Pressures of W-, Cr-, and Co-Carbonyls ..... *16*(1) 24-29 ar
Gauckler, L.J.
see Risold, D.: The Bismuth-Oxygen System
Gokcen, N.A.
A Note on Solubility and Excess Gibbs Energy of Graphite in Liquid Iron 16(1) 7 co
Author's reply ..... *16*(1) 8-9 co
see Tanaka, T.: Excess Thermodynamic Properties of Dilute Solutions
Guminski, C.
Ac-Hg ..... *16*(4) 332 ev
Am-Hg ..... *16*(4) 333 ev
At-Hg ..... *16*(6) 525 ev
Dy-Hg ..... *16*(1) 73-76 ev
Er-Hg ..... *16*(2) 177-180 ev
Gd-Hg ..... *16*(2) 181-185 ev
Hf-Hg ..... *16*(4) 334-336 ev
Hg-Ho ..... *16*(1) 77-80 ev
Hg-La ..... *16*(2) 186-192 ev
Hg-Lu ..... *16*(3) 276 ev
Hg-Nd ..... *16*(5) 448-453 ev
Hg-Os ..... *16*(1) 81-82 ev
Hg-Pm ..... *16*(6) 526 ev
Hg-Po ..... *16*(4) 337 ev
Hg-Pr ..... *16*(5) 454-458 ev
Hg-Ru ..... *16*(1) 83-85 ev
Hg-Sm ..... *16*(1) 86-91 ev
Hg-Tb ..... *16*(2) 193-196 ev
Hg-Tm ..... *16*(5) 459 ev
Hg-Y ..... *16*(3) 277-280 ev
Hg-Yb ..... *16*(4) 348-352 ev
see Sharma, R.C.: Hg-Te
see Zabdyr, L.A.: Hg-Zn
Gupta, K.P.
The Manganese-Niobium-Nickel System ..... *16*(4) 320-323 ar
see Singh, S.K.: The Cr-Ni-V System
Haglund, B.-O.
see Uhrenius, B.: Phase Equilibria and Phase Diagrams in Carbide Systems
Hallemans, B.
Thermodynamic Assessment of the Fe-Nd-B Phase Diagram ..... *16*(2) 137-149 ar
Hallstedt, B.
see Risold, D.: The Bismuth-Oxygen System
Hasebe, M.
Personal Database for Phase Diagrams ..... *16*(5) 396-402 ar
Hayes, F.H.
Al-Ti-V ..... *16*(2) 163-176 ev
Hillert, M.
Conversion from the Wagner Formalism to a Margules Formalism: Discussion of a paper by Gokcen ..... *16*(1) 7-8 co
Le Chatelier's Principle—Restated and Illustrated with Phase Diagrams ..... *16*(5) 403-410 ar
Imamura, K.
see Chiba, A.: Bonding Characteristics and Diffusion Barrier Effect of the TiC Phase Formed at the Bonding Interface in an Explosively Welded Titanium/High-Carbon Steel Clad

Inden, G.
see Palm, M.: The Fe-Al-Ti System
Ishida, K.
see Takayama, T.: Anomalies in Phase Equilibria due to Magnetic Transition in Fe-Zn, Co-Zn, and Fe-Co-Zn Systems
see Ohtani, H.: Thermodynamic Study of Phase Equilibria in the Pb-Sn-Sb System
Ivey, D.G.
see Baldwin, N.R.: Iron Silicide Formation in Bulk Iron-Silicon Diffusion Couples
Jacob, K.T.
The CaO-SrO-CuO-O_2 System: Phase Equilibria and Thermodynamic Properties at 1123 K..... *16*(2) 113-120 ar
see Mukhopadhyay, S.: Tie Lines and Activities in the System NiO-MgO-SiO_2 at 1373 K
Jemal, M.
see Zamali, H.: Phase Diagrams of Binary Systems: $AgNO_3$-KNO_3 and $AgNO_3$-$NaNO_3$
Joubert, J.-M.
The Zr-Ni-Cr System at 1000 C in the $ZrCr_2$-ZrNi-Ni-Cr Region..... *16*(6) 485-492 ar
Katamura, J.
The Cubic-Tetragonal Phase Equilibria in the ZrO_2-R_2O_3 (R = Y, Gd, Sm, Nd) Systems..... *16*(4) 315-319 ar
Kleykamp, H.
On the Eutectoidal Reaction of Rh_3Te_2 ..... *16*(2) 107-108 co
Klein, B.M.
see Lu, Z.W.: Ordering Tendencies in Pd-Pt, Rh-Pt, and Ag-Au Alloys
Kobayashi, T.
see Hasebe, M.: Personal Database for Phase Diagrams
Latroche, M.
see Joubert, J.-M.: The Zr-Ni-Cr System at 1000 C in the $ZrCr_2$-ZrNi-Ni-Cr Region
Lau, K.H.
see Garner, M.L.: Low-Temperature Vapor Pressures of W-, Cr-, and Co-Carbonyls
Liao, P.K.
B-Y..... *16*(6) 521-524 ev
Liautard, B.
see Dal Corso, S.: The Pb-Sn-Se System: Phase Equilibria and Reactions in the PbSe-SnSe-Se Subternary
Liu, Z.-K.
Thermodynamics of Constrained and Unconstrained Equilibrium Systems and Their Phase Rules..... *16*(1) 30-35 ar
Lograsso, T.A.
see Zeisler-Mashl, K.L.: Determination of the In-Rich Peritectic Region in the In-Sn System by Differential Scanning Calorimetry
Lu, Z.W.
Ordering Tendencies in Pd-Pt, Rh-Pt, and Ag-Au Alloys..... *16*(1) 36-45 ar
Lukas, H.L.
see Duschanek, H.: A Critical Assessment and Thermodynamic Calculation of the Boron-Carbon-Titanium (B-C-Ti) Ternary System
see Risold, D.: The Bismuth-Oxygen System
Malheiros, L.F.
see Braga, M.H.: Thermodynamic Assessment of the Li-Si System
Manchester, F.D.
see San-Martin, A.: H-Mn
H-U..... *16*(3) 2630275 ev
Markondeya Raj, P.
see Jacob, K.T.: The CaO-SrO-CuO-O_2 System: Phase Equilibria and Thermodynamic Properties at 1123 K
Morizono, Y.
see Chiba, A.: Bonding Characteristics and Diffusion Barrier Effect of the TiC Phase Formed at the Bonding Interface in an Explosively Welded Titanium/High-Carbon Steel Clad
Moser, Z.
see Zakulski, W.: A Calculation of the Cd-Pb (Cadmium-Lead) System
Mukhopadhyay, S.
Tie Lines and Activities in the System NiO-MgO-SiO_2 at 1373 K..... *16*(3) 243-253 ar
Murakami, N.
see Hasebe, M.: Personal Database for Phase Diagrams
Nishida, M.
see Chiba, A.: Bonding Characteristics and Diffusion Barrier Effect of the TiC Phase Formed at the Bonding Interface in an Explosively Welded Titanium/High-Carbon Steel Clad
Nishizawa, T.
Effect of Magnetic Transition on Phase Equilibria in Iron Alloys ..... *16*(5) 379-389 ar
see Takayama, T.: Anomalies in Phase Equilibria due to Magnetic Transition in Fe-Zn, Co-Zn, and Fe-Co-Zn Systems
Noel, H.
see Rogl, P.:C-Si-U
Noid, D.W.
see Dai, S.: Modeling of Binary Molten-Salt Phase Diagrams via Neural Networks
Oden, L.L.
see Gokcen, N.A.: A Note on Solubility and Excess Gibbs Energy of Graphite in Liquid Iron
Ohtani, H.
Thermodynamic Study of Phase Equilibria in the Pb-Sn-Sb System ..... *16*(5) 416-429 ar
Okamoto, H.
Hf-Mn ..... *16*(4) 361-363 ev
Li-S ..... *16*(1) 94-97 ev
see Sangster, J.: Li-P
Okuda, K.
see Ohtani, H.: Thermodynamic Study of Phase Equilibria in the Pb-Sn-Sb System
Palm, M.
The Fe-Al-Ti System ..... *16*(3) 209-222 ar
Pelton, A.D.
Proof of Schreinemakers' Rule for General Phase Diagram Sections..... *16*(6) 501-503 ar
see Sangster, J.: Li-P
Percheron-Guegan, A.
see Joubert, J.-M.: The Zr-Ni-Cr System at 1000 C in the $ZrCr_2$-ZrNi-Ni-Cr Region
Perrot, P.
Author's reply to "An Alternative Description of Dross Formation when Galvanizing Silicon Steels in Zinc-Nickel Baths" ..... *16*(3) 207 co
Petyukh, V.M.
see Semenova, E.L.: The TiNi-TiRu System
Reumont, G.
see Perrot, P.: Author's reply to "An Alternative Description of Dross Formation when Galvanizing Silicon Steels in Zinc-Nickel Baths"
Ribeiro, C.A.
see Coelho, G.C.: Experimental Study of the Iron-Tantalum Equilibrium Diagram
Risold, D.
The Bismuth-Oxygen System *16*(3) 223-234 ar
Rogl, P.
C-Si-U..... *16*(1) 66-72 ev
see Duschanek, H.: A Critical Assessment and Thermodynamic Calculation of the Boron-Carbon-Titanium (B-C-Ti) Ternary System
see Sologub, O.: An Initial Determination of Ce-Mn-Sb Phase Equilibria
see Duschanek, H.: Al-B
see Duschanek, H.: Critical Assessment and Thermodynamic Calculation of Binary System Boron-Tungsten (B-W)
Roos, J.R.
see Hallemans, B.: Thermodynamic Assessment of the Fe-Nd-B Phase Diagram
Rusetskaya, N.Yu.
see Semenova, E.L.: The TiNi-TiRu System
Sakuma, T.
see Katamura, J.: The Cubic-Tetragonal Phase Equilibria in the ZrO_2-R_2O_3 (R = Y, Gd, Sm, Nd) Systems
Sangster, J.
Li-P ..... *16*(1) 92-93 ev
San-Martin, A.
H-Mn..... *16*(3) 255-262 ev
see Manchester, F.D.: H-U
Seki, T.
see Katamura, J.: The Cubic-Tetragonal Phase Equilibria in the ZrO_2-R_2O_3 (R = Y, Gd, Sm, Nd) Systems
Semenova, E.L.
The TiNi-TiRu System..... *16*(4) 297-299 ar
Sharma, R.C.
Hg-Te ..... *16*(4) 338-347 ev
Shiming, H.
Calculation of Phase Equilibria for the Ternary System by the Grand Potential Method..... *16*(5) 441-446 ar
Singh, S.K.
The Cr-Ni-V System ..... *16*(2) 129-136 ar
see Gupta, K.P.: The Manganese-Niobium-Nickel System
Shinohara, S.
see Takayama, T.: Anomalies in Phase Equilibria due to Magnetic Transition in Fe-Zn, Co-Zn, and Fe-Co-Zn Systems
Sologub, O.
An Initial Determination of Ce-Mn-Sb Phase Equilibria..... *16*(1) 61-64 ar
Spear, K.E.
see Liao, P.K.: B-Y
Sumpter, B.G.
see Dai, S.: Modeling of Binary Molten-Salt Phase Diagrams via Neural Networks
Swenson, D.
Phase Equilibria in the Ga-In-Ni System at 600 °C..... *16*(6) 508-515 ar
Takayama, T.
Anomalies in Phase Equilibria due to Magnetic Transition in Fe-Zn, Co-Zn, and Fe-Co-Zn Systems..... *16*(5) 390-395 ar
Tanaka, T.
Excess Thermodynamic Properties of Dilute Solutions..... *16*(1) 10-15 co
Tang, N.Y.
An Alternative Description of Dross Formation when Galvanizing Silicon Steels in Zinc-Nickel Baths ..... *16*(2) 110-112 ar
Tedenac, J.C.
see Dal Corso, S.: The Pb-Sn-Se System: Phase Equilibria and Reactions in the PbSe-SnSe-Se Subternary
Thomas, N.
see Palm, M.: The Fe-Al-Ti System
Tripathi, S.N.
Hf-Pd..... *16*(6) 527-531 ev
Nb-Pt..... *16*(5) 465-470 ev
see Bharadwaj, S.R.: Ir-Pt
Uhrenius, B.
Phase Equilibria and Phase Diagrams in Carbide Systems..... *16*(5) 430-440 ar
Waseda, Y.
see Jacob, K.T.: The CaO-SrO-CuO-O_2 System: Phase Equilibria and Thermodynamic Properties at 1123 K
Wollants, P.
see Hallemans, B.: Thermodynamic Assessment of the Fe-Nd-B Phase Diagram

Xin, Z.

see Shiming, H.: Calculation of Phase Equilibria for the Ternary System by the Grand Potential Method

Zabdyr, L.A.

Hg-Zn ..... *16*(4) 353-360 ev

Zakulski, W.

A Calculation of the Cd-Pb (Cadmium-Lead) System..... *16*(3) 239-242 ar, *16*(6) 239-242 ad

Zamali, H.

Phase Diagrams of Binary Systems: $AgNO_3$-KNO_3 and $AgNO_3$-$NaNO_3$... *16*(3) 235-238 ar

Zeisler-Mashl, K.L.

Determination of the In-Rich Peritectic Region in the In-Sn System by Differential Scanning Calorimetry..... *16*(6) 508-519 ar

Zunger, A.

see Lu, Z.W.: Ordering Tendencies in Pd-Pt, Rh-Pt, and Ag-Au Alloys

ad = addendum; ar = article; co = comment; ev = evaluation